

EZ SpeedClic Grinding Wheel (SC541)



Aluminum Oxide Grinding Stone 9.5 mm (932)



Aluminum Oxide Grinding Stone 9.5 mm (952)








Aluminum Oxide Grinding Stone 6.4 mm (953)



Aluminum Oxide Grinding Stone 3.4 mm (997)



Shank diameter [mm]	Shank diameter [mm]	Shank diameter [mm]	Shank diameter [mm]	Shank diameter [mm]
3.2	3.2	3.2	3.2	3.2
Working Diameter [mm]	Working Diameter [mm]	Working Diameter [mm]	Working Diameter [mm]	Working Diameter [mm]
38	9.5	9.5	6.4	3.4
Height [mm]	Height [mm]	Height [mm]	Height [mm]	Height [mm]
4	40	39	38	38
Length [mm]	Length [mm]	Length [mm]	Length [mm]	Length [mm]
38	10	10	6	3
Accessory length with Mandrel [mm]	Accessory length with Mandrel [mm]	Accessory length with Mandrel [mm]	Accessory length with Mandrel [mm]	Accessory length with Mandrel [mm]
44	41	47	44	50
Maximum RPM [1/min]	Maximum RPM [1/min]	Maximum RPM [1/min]	Maximum RPM [1/min]	Maximum RPM [1/min]
35,000	35,000	35,000	35,000	35,000
EAN Code	EAN Code	EAN Code	EAN Code	EAN Code
8710364070329	8710364070336	8710364045082	8710364070367	8710364070374
Order number	Order number	Order number	Order number	Order number
26150403JA	26150404JA	26150405JA	26150531JA	26150532JA



Aluminum Oxide Grinding Stone 4.8 mm (8153)



Aluminum Oxide Grinding Stone 15.9 mm (8193)



Aluminum Oxide Grinding Stone 25.4 mm (8215)








Silicon Carbide Grinding Stone 3.2 mm (83322)



Silicon Carbide Grinding Stone 4.8 mm (84922)



Shank diameter [mm]	Shank diameter [mm]	Shank diameter [mm]	Shank diameter [mm]	Shank diameter [mm]
3.2	3.2	3.2	3.2	3.2
Working Diameter [mm]	Working Diameter [mm]	Working Diameter [mm]	Working Diameter [mm]	Working Diameter [mm]
4.8	15.9	25.4	3.2	4.8
Height [mm]	Height [mm]	Height [mm]	Height [mm]	Height [mm]
38	38	38	38	38
Length [mm]	Length [mm]	Length [mm]	Length [mm]	Length [mm]
6	20	11	4	5
Accessory length with Mandrel [mm]	Accessory length with Mandrel [mm]	Accessory length with Mandrel [mm]	Accessory length with Mandrel [mm]	Accessory length with Mandrel [mm]
44	41	47	44	50
Maximum RPM [1/min]	Maximum RPM [1/min]	Maximum RPM [1/min]	Maximum RPM [1/min]	Maximum RPM [1/min]
35,000	35,000	35,000	35,000	35,000
EAN Code	EAN Code	EAN Code	EAN Code	EAN Code
8710364070329	8710364070336	8710364045082	8710364070367	8710364070374
Order number	Order number	Order number	Order number	Order number
26150535JA	26150536JA	26150537JA	26150428JA	26150442JA



Silicon Carbide Grinding Stone 19.8 mm (85422)



Silicon Carbide Grinding Stone (85602)



Abrasive Point (516)






Chainsaw Sharpening Grinding Stone 4 mm (453)



Chainsaw Sharpening Grinding Stone 4.8 mm (454)



Shank diameter [mm]	Shank diameter [mm]	Shank diameter [mm]	Shank diameter [mm]	Shank diameter [mm]
3.2	3.2	3.2	3.2	3.2
Working Diameter [mm]	Working Diameter [mm]	Working Diameter [mm]	Working Diameter [mm]	Working Diameter [mm]
19.8	10.3	13	4	4.8
Height [mm]	Height [mm]	Height [mm]	Height [mm]	Height [mm]
38	38	38	39	39
Length [mm]	Length [mm]	Length [mm]	Length [mm]	Length [mm]
19	10	11	4	5
Accessory length with Mandrel [mm]	Accessory length with Mandrel [mm]	Accessory length with Mandrel [mm]	Accessory length with Mandrel [mm]	Accessory length with Mandrel [mm]
44	41	47	44	50
Maximum RPM [1/min]	Maximum RPM [1/min]	Maximum RPM [1/min]	Maximum RPM [1/min]	Maximum RPM [1/min]
35,000	35,000	35,000	35,000	35,000
EAN Code	EAN Code	EAN Code	EAN Code	EAN Code
8710364070329	8710364070336	8710364045082	8710364070367	8710364070374
Order number	Order number	Order number	Order number	Order number
26150443JA	2615044332	26155423JA	2615041432	26150425JA



**Chainsaw
Sharpening
Grinding Stone
5.6 mm (455)**



**Chainsaw
Sharpening
Grinding Stone
4.5 mm (457)**



Shank diameter [mm]	Shank diameter [mm]
3.2	3.2
Working Diameter [mm]	Working Diameter [mm]
5.6	4.5
Height [mm]	Height [mm]
39	39
Length [mm]	Length [mm]
6	5
Accessory length with Mandrel [mm]	Accessory length with Mandrel [mm]
44	41
Maximum RPM [1/min]	Maximum RPM [1/min]
35,000	35,000
EAN Code	EAN Code
8710364070329	8710364070336
Order number	Order number
2615052065	26150422JA

